

Hızlı Sistem Kurulumu ve Yönetimi İçin Yeni Bir Yaklaşım: SUSE® Stüdyo™

Özhan KARAMAN

SUSE Linux ve Açık Platformlar Ürün Müdürü

Yöre Elektronik Yayımcılık A.Ş.

ozhankaraman@yore.com.tr

CLA, CLP, CNI



Ajanda

- Hazır Cihaz Yaklaşımı ve neden SUSE® Stüdyo™
- SUSE Stüdyo ve tamamlayıcı bileşenleri
- Demo
- Soru ve Cevap

Hazır Cihaz Yaklaşımı ve neden SUSE® Stüdyo™

Birçok yöntem kullanılarak yapılabilir ...






... minimum efor ile hep aynı kalitede yeni sistemler/cihazlar kurmaya hazır mısınız??






**Peki bu yaklaşım yazılım dünyası için
ne demek?**

Genel Süreçlerin Anlatılması ...




68 sayfa!

... Peki Yazılım için



Yeni Yazılım Geçiřleri, Kurulumları her zaman aynı kalitede ve hızda olmalıdır...



Kurulum Öncesi

- Doğru İşletim Sistemi Sürümü
- İşletim Sistemine ait güncel yamalarının indirilmesi
- Yazılım bağımlılıklarının tespiti
- Konfigürasyonlar
- Klasörler
- Donanım Sertifikasyonu
- Destek Servisleri


Kurulum

- Dosya Sisteminin Yaratılması
- Modüllerin Derlenmesi
- Uygulama Kurulumları
- Eriřim Hakları
- Kullanıcı ve Grupların Yaratılması
- Bug varsa ilgili bug üzerinde çalışma

Kurulum Sonrası

- Güncellemeler
- Uygulamaların Konfigürasyonları
- Destek
- Güncelleme ve Yama Yönetimi

Peki neden tüm adımları bir hamlede yapmayalım?



Cihazlar Kurulum ve Destek Maliyetlerinde Ciddi Tasarruf Sağlarlar



**Entegre Tam
Çözüm**



**Tek Bir Tuşa
Basarak
Kurulumu
Başlatın**



**Farklı
Platformlarda
Kurulabilen
Sistemler
Hazırlayın**



**Sade,
Basitleştirilmiş
Destek ve
Bakım
Hizmetleri**

SUSE Stüdyo™

Bileşenler



Kur



Yönet



Bakım

SUSE Stüdyo

Tüm kurulum işlemlerini yönetir, üstlenir

Kiwi Desteği:

Kiwi desteği ile SUSE Stüdyo üzerinde hazırladığınız bir sistemi farklı mimarilere ve cihazlara uygun tipte imajlar oluşturun

WebYaST:

Standard Web tarayıcısı üzerinden YaST fonksiyonallitesi sunar

SUSE Lifecycle Management Server:

Hazırlamış olduğunuz cihazlar için yazılım güncelleme yönetir ve birden çok yazılım deposu ile entegre olarak çalışabilir, satın alınan lisansları yönetir

SUSE® Stüdyo™

Cihaz yaratmak için en hızlı, güvenli ve kolay yöntem

SUSE Stüdyo Online

- Bedava Cihaz Kurulum ve Üretim Aracı
- Birkaç tıklama ile Linux Dağıtımını Hazırlama
- Temel İşletim Sistemi olarak SUSE Linux Enterprise (SLE) 11 SP1, SLE 10 SP4 ve openSUSE 12.1 sürümlerini sunmaktadır
- SUSE Linux Enterprise Server paketlerini özel tekniklerle ihtiyaçları çeşitlendirecek şekilde alt paketlere bölerek, sistem kurulumu sırasında sadece ihtiyaç duyulan paketeri yükleyen JeOS(Just Enough OS) ile daha efektif, güvenli ve hızlı sistemler hazırlama
- 32-bit (x86) ve 64-bit (x86_64) mimaride sistemler oluşturulmaktadır
- İmaj çıktı formatı olarak Xen, KVM, VMware, VirtualBox, OVF, Live CD/DVD, Preload ISO,ve Amazon EC2 disk/usb imaj formatları desteklenmektedir
- Galeri Bölümü ile sizin veya başka kullanıcıların hazırladıkları cihazlar tüm kullanıcılar ile paylaşılmaktadır
- <http://susestudio.com> web adresinden deneyebilirsiniz.


SUSE Stüdyo Onsite 1.2

- SUSE Stüdyo'nun şirket içi kurulum şeklinde sadece size özel olarak tasarlanmış sürümüdür, direk olarak lokal şirket içi bilgisayarlar üzerinde çalışır
- SUSE Stüdyo Online Sürümünün Özelliklerine Ek Olarak:
 - Main Frame Sistem Z İmajları oluşturabilme (zFCP and DASD)
 - Özel Cihazlarınızı belirli grup veya tekil kullanıcılar ile paylaşırabilme
 - Veri Merkezi kurulumu için PXE/Netboot Çıktısı ile daha kolay cihaz kurulumu




SUSE® Lifecycle Management Sunucusu

- * Kurulu cihazların bakım sözleşmelerini ve lisanslarını yönetin.
- * Özelleştirilmiş ve bütünleştirilmiş güncelleme sistemi ile cihazınızdaki tüm alt komponentlerin bir bütün olarak veya ayrı ayrı güncellenebilmesi olanağı
- * Bölümlendirilmiş yazılım deposu (software repository) seçenekleri ile yama yönetimi kalitenizi arttırın
- * Güncellemelerin ve yamaların dağıtılması için yetkilendirme ve erişim kontrol sistemi



WebYaST ile Yönetim

- SUSE Stüdyo ile hazırladığınız cihazınız için konfigürasyon, performans ve diğer tüm yönetimsel ihtiyaçlarınızı standard web tarayıcısı üzerinden sağlayan bir yönetim arayüzüdür
- Cihazların Ana Konfigürasyonları
(Bazı Önemli Modüller: storage, bootloader, timezone, software appliance management updates, user management, hardware customization)
- Kurulu Cihazların Yönetimi
(Bazı Önemli Modüller: Status, soft-shutdown, reboot, monitoring, license/EULA and registration, service start/stop/status)




KIWI Sistemi ile İşletim Sistemi Üretimi

- Bir tanım dosyası kullanarak komut satırından gerektiğinde betik dili ile de desteklenerek imaj dosyası hazırlama aracıdır
- SUSE® Stüdyo'ya entegre edilmiş ana imaj üretim mekanizmasıdır
- İşletim sistemlerinin yeni sürümleri çıktığında mevcut tanım dosyası kullanılarak hızlı ve kolay bir şekilde önceden hazırlanmış olan cihazın yeni sürümünün hazırlanmasını sağlar
- KIWI bir özgür yazılım projesidir



SUSE Stüdyo - Demo

SUSE Stüdyo - Kurulum

 [Send feedback](#)

[Create new appliance...](#)

Your appliances

openSUSE 11.3



WebYaST Demo

1 build, 274 MB - 32-bit x86 - edited 2 months ago

openSUSE 11.2



Cornelius' LAMP Server

32-bit x86 - edited 13 days ago

 [Clone](#) 

openSUSE 11.1



Cornelius' JeOS

32-bit x86 - edited 2 years ago



KDE 4.2

1 build, 379 MB - 32-bit x86 - edited 4 months ago

openSUSE 11.0



Mediawiki Demo

2 builds, 926 MB - 32-bit x86 - edited one year ago



Cornelius Schumacher

[Change account settings...](#)



[Manage your Amazon EC2 appliances...](#)



[See what others have made in the Gallery!](#)

It's easy to download appliances others have shared in Gallery. You can even clone from shared appliances!

SUSE Studio blog

[SUSE Linux Enterprise 10 SP4 support](#)

Yesterday, Novell announced the release of the SUSE Linux Enterprise 10 SP4, ...

[The forecast is cloudy, show it on your desktop](#)

Choose a base template

openSUSE 11.4

-  **Just enough OS (JeOS)**
Tiny, minimalistic appliances
-  **Server**
A text-only base
-  **Minimal X**
Graphical system + IceWM
-  **GNOME desktop**
Base system + GNOME
-  **KDE 4 desktop**
Base system + KDE 4
-  **Import**
Use Kiwi or AutoYaST configuration file

SUSE Linux Enterprise 11 SP1

-  **Just enough OS (JeOS)**
Minimal SLES 11 SP1
-  **Server**
SLES 11 SP1
-  **Minimal X**
Graphical system + IceWM
-  **GNOME desktop**
SLED 11 SP1, with GNOME
-  **KDE 4 desktop**
SLED 11 SP1, with KDE 4
-  **SLES for VMware**
SLES 11 SP1, VMware branded
-  **Import**
Use Kiwi or AutoYaST configuration file

SUSE Linux Enterprise 11

-  **Just enough OS (JeOS)**
Minimal SLES
-  **Server**
SLES 11
-  **GNOME desktop**
SLED 11, with GNOME
-  **KDE 4 desktop**
SLED 11, with KDE 4
-  **Import**
Use Kiwi or AutoYaST configuration file

SUSE Linux Enterprise 10 SP4

SUSE Linux Enterprise 11

-  **Just enough OS (JeOS)**
Minimal SLES
-  **Server**
SLES 11
-  **GNOME desktop**
SLED 11, with GNOME
-  **KDE 4 desktop**
SLED 11, with KDE 4
-  **Import**
Use Kiwi or AutoYaST configuration file

SUSE Linux Enterprise 10 SP4

-  **Server**
SLES 10 SP4
-  **GNOME desktop**
SLED 10 SP4, with GNOME
-  **KDE 3 desktop**
SLED 10 SP4, with KDE
-  **Import**
Use Kiwi or AutoYaST configuration file

[Additional templates...](#)

Select your architecture

- 32-bit
- 64-bit

Name your appliance

This can be changed later

[Create appliance](#)

Send feedback

Web Server



Disk Image

Based on: SLES 11 SP1
Platform: 32-bit x86

Used space: **390 MB**
Download size: **140 MB**

0 patterns selected
49 packages selected
172 total packages

Take notes

Welcome to SUSE Studio!

Configure your appliance using the tabs above.

When you're finally done making everything the way you want, [visit the Build tab](#) to generate your appliance.

But first, give your appliance a name! It will be used in the boot screen, and in several other places.

Appliance name:



Switch to the **Software** tab to continue »

Send feedback

Web Server



Disk Image

Based on: SLES 11 SP1
Platform: 32-bit x86

Used space: **390 MB**
Download size: **140 MB**

0 patterns selected
49 packages selected
172 total packages

Software sources

SLES 11 SP1 i386, SLES 11 SP1 Updates i386, SLE 11 SP1 SDK i386, SLE 11 SP1 SDK Updates i386

Add repositories... Upload RPMs...

Selected software

Packages: **aaa_base, bash, branding-SLES, coreutils, cracklib-dict-full, device-mapper, dhcpd, e2fsprogs, elfutils, filesystem, glib2-branding-SLES, glibc, ifplugd, initviocons, insserv, iputils, irqbalance, kbd, kernel-default, klogd, login, mdadm, mkinitrd, module-init-tools, ncurses-libs, nfs-client, openssl, openssh, openssl-certs, pam, pam-modules, procs, pwutils, release-notes-sles, rpcbind, rpm, sles-release, sles-release-DVD, suse-build-key, **suseRegister** x, suse-sam, sysconfig, syslog-ng, sysvinit, tar, timezone, vim, vim-base, w3m, zypper**

Quick add...

Source: SLES 11 SP1 i386 — click for more details

Search for software

Show: **All repositories**

Your appliance

To be installed (172) **Selected** (49) **Banned** (0) **Recommended** (27)

Take notes

All available software

Send feedback

Web Server



Disk Image

Based on: SLES 11 SP1
Platform: 32-bit x86

Used space: **390 MB**
Download size: **140 MB**

0 patterns selected
50 packages selected
177 total packages

Software changes

Added Undo

Added 5 package, totaling 3.4 MB
[View details...](#)

Take notes

Search for software

Q- apache

Show: All repositories

[Back to all groups](#) Search: **apache** (34) Add all

Action	Name	Version	Size	Repository	Popularity
<input type="button" value="- remove"/>	<input checked="" type="checkbox"/> apache2	2.2.10-2.24.5	2.1 MB	SLE 11 SP1 SDK i386	<div style="width: 100%;"></div>
<input type="button" value="+ add"/>	apache2-mod_php5	5.2.14-0.7.22.1	2.6 MB	SLE 11 SP1 SDK Updates i386	<div style="width: 90%;"></div>
<input type="button" value="+ add"/>	apache2-mod_python	3.3.1-147.19	2.9 MB	SLE 11 SP1 SDK i386	<div style="width: 80%;"></div>
<input type="button" value="+ add"/>	apache2-mod_perl	2.0.4-40.19	6.9 MB	SLE 11 SP1 SDK i386	<div style="width: 70%;"></div>
<input type="button" value="+ add"/>	<input checked="" type="checkbox"/> apache2-prefork	2.2.10-2.24.5	592.1 KB	SLE 11 SP1 SDK i386	<div style="width: 60%;"></div>
<input type="button" value="+ add"/>	apache2-example-pages	2.2.10-2.24.5	10 KB	SLE 11 SP1 SDK i386	<div style="width: 50%;"></div>
<input type="button" value="+ add"/>	apache2-mod_mono	2.0-1.26	50.5 KB	SLE 11 SP1 SDK i386	<div style="width: 40%;"></div>
<input type="button" value="+ add"/>	apache2-worker	2.2.10-2.24.5	608.2 KB	SLE 11 SP1 SDK i386	<div style="width: 30%;"></div>
<input type="button" value="+ add"/>	<input checked="" type="checkbox"/> apache2-utils	2.2.10-2.24.5	175.9 KB	SLE 11 SP1 SDK i386	<div style="width: 20%;"></div>
<input type="button" value="+ add"/>	apache2-mod_security2	2.5.6-2.10.1	1.4 MB	SLE 11 SP1 SDK i386	<div style="width: 10%;"></div>
<input type="button" value="+ add"/>	apache2-doc	2.2.10-2.24.5	10 MB	SLE 11 SP1 SDK i386	<div style="width: 5%;"></div>
<input type="button" value="+ add"/>	apache2-mod_perl-devel	2.0.4-40.19	146.5 KB	SLE 11 SP1 SDK i386	<div style="width: 2%;"></div>
<input type="button" value="+ add"/>	apache2-mod_fcgid	2.2-31.17	149.9 KB	SLE 11 SP1 SDK i386	<div style="width: 1%;"></div>
<input type="button" value="+ add"/>	apache2-mod_auth_ntlm_winbind	0.0.0.lorikeet_svn_682-1.18	21 KB	SLE 11 SP1 SDK i386	<div style="width: 0.5%;"></div>
<input type="button" value="+ add"/>	apache2-mod_macro	1.1.8-193.18	30.9 KB	SLE 11 SP1 SDK i386	<div style="width: 0.2%;"></div>
<input type="button" value="+ add"/>	apache2-devel	2.2.10-2.24.5	623.1 KB	SLE 11 SP1 SDK i386	<div style="width: 0.1%;"></div>
<input type="button" value="+ add"/>	apache2-mod_tidy	0.5.5-32.18	42.5 KB	SLE 11 SP1 SDK i386	<div style="width: 0.05%;"></div>
<input type="button" value="+ add"/>	perl-Apache2-AuthCookieDBI	2.03-2.8	74.5 KB	SLE 11 SP1 SDK i386	<div style="width: 0.02%;"></div>
<input type="button" value="+ add"/>	ant-apache-log4j	1.7.0-200.22	2.8 KB	SLE 11 SP1 SDK i386	<div style="width: 0.01%;"></div>
<input type="button" value="+ add"/>	ant-apache-regexp	1.7.0-200.22	3.7 KB	SLE 11 SP1 SDK i386	<div style="width: 0.005%;"></div>
<input type="button" value="+ add"/>	ant-apache-resolver	1.7.0-200.22	3.8 KB	SLE 11 SP1 SDK i386	<div style="width: 0.002%;"></div>
<input type="button" value="+ add"/>	ant-apache-oro	1.7.0-200.22	56.9 KB	SLE 11 SP1 SDK i386	<div style="width: 0.001%;"></div>

Send feedback

Web Server



Disk Image

Based on: SLES 11 SP1
Platform: 32-bit x86

Used space: **390 MB**
Download size: **140 MB**

0 patterns selected
50 packages selected
177 total packages

Software changes

Added Undo
Added 5 package, totaling 3.4 MB
[View details...](#)

General

Personalize

Startup

Server

Desktop

Appliance

Scripts

Default locale

Language:
Keyboard Layout:

Default time zone

Region:
Time Zone:

Network

- Do not configure network
- Configure network during first boot
- Use NetworkManager to configure the network at run-time
- Discover network settings automatically (DHCP)
- Manually configure network

Note: Your appliance will always run DHCP in Testdrive.

Firewall

Enable firewall

Users and groups

Login	UID (optional)	Password	Group	Home directory	Shell
root	0	<input type="text" value="linux"/>	root	/root	/bin/bash

[+ Add new user...](#)

Send feedback

General **Personalize** Startup Server Desktop Appliance Scripts

Web Server



Disk Image

Based on: SLES 11 SP1
Platform: 32-bit x86
Used space: **390 MB**
Download size: **140 MB**

0 patterns selected
50 packages selected
177 total packages

Software changes

Added Undo
Added 5 package, totaling 3.4 MB
[View details...](#)

Take notes

Appliance logo



Upload new logo...

Appliance background




Upload new background...


Preview



Boot selection (grub)



Boot



 Send feedback

Web Server



Disk Image

Based on: SLES 11 SP1

Platform: 32-bit x86

Used space: **390 MB**

Download size: **140 MB**

0 patterns selected
50 packages selected
177 total packages

Software changes

Added

Undo

Added 5 package, totaling 3.4 MB

[View details...](#)

 Take notes



General



Personalize



Startup



Server



Desktop



Appliance



Scripts

Default runlevel


Start in runlevel:

Single user runlevel has been disabled due to single account appliance.

End user license agreement (EULA)

When your appliance boots for the first time, the user must agree to any and all EULAs listed below.

[+ Add a new EULA](#)



Send feedback

Web Server



Disk Image

Based on: SLES 11 SP1
Platform: 32-bit x86Used space: **390 MB**
Download size: **140 MB**0 patterns selected
50 packages selected
177 total packages

Messages

Error: PostgreSQL database configuration has been enabled, but PostgreSQL is not installed.[Add postgresql-server](#)

Software changes

Added

Undo

Added 5 package, totaling 3.4 MB
[View details...](#)

Take notes




General



Personalize



Startup



Server



Desktop



Appliance



Scripts

Database configuration

 Set up PostgreSQL

Step 1: Upload PostgreSQL database dump file (.bz2 only)

First, generate a dump of the database schema and data from your desired databases/tables. One way is to use the 'pg_dump' tool which is included with PostgreSQL. For example, to generate a dump of the database 'mydb' (including both schema and data), use the following command:

```
pg_dump -C mydb > mydb.sql
```

This generates the database dump into the 'mydb.sql' file. Because this file can be rather large, please bzip it first using the following command:

```
bzip2 mydb.sql
```

Then upload the resulting 'mydb.sql.bz2' using the button below.

[Upload PostgreSQL dump...](#)

Step 2: Configure PostgreSQL users and permissions

Add PostgreSQL databases users and specify the databases that they have access to here. Separate the list of databases by commas (i.e. mydb1, mydb2).

[Add PostgreSQL User](#)

 Send feedback

Web Server



Disk Image

Based on: SLES 11 SP1
Platform: 32-bit x86

Used space: **390 MB**
Download size: **140 MB**

0 patterns selected
50 packages selected
177 total packages

Software changes

Added Undo
Added 5 package, totaling 3.4 MB
[View details...](#)

 Take notes

 General
  Personalize
  Startup
  Server
  **Desktop**
 Appliance
  Scripts

Automatic desktop user log in

Automatically log in user tux (root is not allowed)

Autostart desktop programs

Command	Start for user	Comment (optional)
---------	----------------	--------------------

[+ Add new autostart program...](#)

Send feedback

Web Server



Disk Image

Based on: SLES 11 SP1

Platform: 32-bit x86

Used space: **390 MB**

Download size: **140 MB**

0 patterns selected
50 packages selected
177 total packages

Software changes

Added

Undo

Added 5 package, totaling 3.4 MB

[View details...](#)

Take notes



General



Personalize



Startup



Server



Desktop



Appliance



Scripts

Disk and memory

OVF, VMware, and Xen

Memory: MB

EC2, OVF, VMware, and Xen

Disk size: GB

Note: The EC2 disk size is automatically capped at 10GB for it to work with Amazon's uploading tool.

Disk image

Note: When first launched, a disk image will expand its filesystem to fill available space.

Swap partition: MB


All formats

Enable [extended memory \(PAE\)](#), to access more than 4GB

Logical Volume Manager

Note: [Logical Volume Manager \(LVM\)](#) applies to the *disk image* and *VMWare* formats only.

Configure LVM



Send feedback

Web Server



Disk Image

Based on: SLES 11 SP1

Platform: 32-bit x86

Used space: **390 MB**Download size: **140 MB****0** patterns selected
50 packages selected
177 total packages

Software changes

Added

Undo

Added 5 package, totaling 3.4 MB

[View details...](#)

Take notes



General



Personalize



Startup



Server



Desktop



Appliance



Scripts

Custom scripts

Run commands specific to your appliance, at the end of build, or at boot time.

 Run script at the end of the build

```
#!/bin/bash -e
#
# This script is executed at the end of appliance creation. Here you can do
# one-time actions to modify your appliance before it is ever used, like
# removing files and directories to make it smaller, creating symlinks,
# generating indexes, etc.
#
# The 'kiwi_type' variable will contain the format of the appliance (oem =
# disk image, vmx = VMware, iso = CD/DVD, xen = Xen).
#
# read in some variables
. /studio/profile
#
# read in KIWI utility functions
. /.kconfig
#
# =====
# Prune extraneous files
# -----
```

- Run script whenever the appliance boots
- Run AutoYaST profile on appliance's first boot



Web Server



Disk Image

Based on: SLES 11 SP1
Platform: 32-bit x86

Used space: **390 MB**
Download size: **140 MB**

0 patterns selected
50 packages selected
177 total packages

Software changes

Added

Undo

Added 5 package, totaling 3.4 MB
[View details...](#)

Overlay files

Files added here will be copied into the appliance after packages are installed. Adding files is optional.

- **Single files** will be copied to the specified directory.
- **Archives** (.tar, .tar.gz, .tar.bz2, .tgz, or .zip) will be extracted into the directory specified. Permissions and hierarchy will be preserved. Using archives is a great way to add many files at one time.

Name	Directory	Extract	Size	Owner/Group	Permissions
------	-----------	---------	------	-------------	-------------

[Select all](#) / [Select none](#)

Disable

Enable

Move / Rename

Edit details

Remove

Upload file...

Add from the Web (URL)...

Send feedback

Web Server



VMware Image

Based on: SLES 11 SP1
Platform: 32-bit x86

Used space: **390 MB**
Virtual disk: **16 GB**
Download size: **140 MB**

0 patterns selected
50 packages selected
177 total packages

Software changes

Added Undo
Added 5 package, totaling 3.4 MB
[View details...](#)

Enable desktop notifications for finished builds

Version

Default format:

Build

- Additional formats:
- Amazon EC2 image
 - USB stick / hard disk image
 - Live CD/DVD (.iso)
 - OVF virtual machine (.ovf)
 - Xen guest
 - Preload ISO (.iso)

[Read more about formats...](#)

[Configuration...](#)

Version 0.0.1

VMware Image Setting up build environment 0:11 ✕

[Configuration...](#) Clone

Builds older than seven days may be deleted to free up space on our servers. But don't worry, you can rebuild them at any time.

[View MD5 checksums](#), for verification that your appliance's download was successful.

[Export your appliance's Kiwi configuration](#), for building your appliance locally. (For advanced users only)

Take notes

Send feedback

Web Server



VMware Image
Based on: SLES 11 SP1
Platform: 32-bit x86
Used space: **390 MB**
Virtual disk: **16 GB**
Download size: **140 MB**

0 patterns selected
50 packages selected
177 total packages

Version

Default format:

Build

- Additional formats:
- Amazon EC2 image
 - USB stick / hard disk image
 - Live CD/DVD (.iso)
 - OVF virtual machine (.ovf)
 - Xen guest
 - Preload ISO (.iso)

[Read more about formats...](#)

[Changelog...](#) [Configuration...](#)

Version 0.0.2

VMware Image 121 MB [Testdrive](#) [Download](#) [View files](#) [✕](#)

[View supportability report...](#) [Changelog...](#) [Configuration...](#) [Clone](#)

Version 0.0.1

VMware Image 121 MB [Testdrive](#) [Download](#) [View files](#) [✕](#)

[View supportability report...](#) [Configuration...](#) [Clone](#)

Take notes

Builds older than seven days may be deleted to free up space on our servers. But don't worry, you can rebuild them at any time.

SUSE Stüdyo – Test Sürüşü

- Ctrl-Alt-F1
- Ctrl-Alt-F2
- Ctrl-Alt-F3
- Ctrl-Alt-F7
- Alt-F1
- Alt-F2
- Ctrl-Alt-Del
- Ctrl-Alt-Back
- Keyboard layout: German




Web Server [VMX]

Failsafe -- Web Server [VMX]

Boot Options |

F1 Help F2 Language F4 Keyboard
 English (US) English-US



- Ctrl-Alt-F1
- Ctrl-Alt-F2
- Ctrl-Alt-F3
- Ctrl-Alt-F7
- Alt-F1
- Alt-F2
- Ctrl-Alt-Del
- Ctrl-Alt-Back
- Keyboard layout: English (US)

```

|-----|
+-----+
Generating /etc/ssh/ssh_host_rsa_key.
Generating public/private rsa key pair.
Your identification has been saved in /etc/ssh/ssh_host_rsa_key.
Your public key has been saved in /etc/ssh/ssh_host_rsa_key.pub.
The key fingerprint is:
bc:98:e9:38:54:d8:24:b2:d3:a8:e6:36:46:f3:ab:66 root@linux-ex1j
The key's randomart image is:
+--[ RSA 1024]-----+
|
| . . .
| = =
| + o o .
| . . . S
|. + . . + .
|+ o . + .
| E ..o
|=.o.o..
|-----+

Starting SSH daemon done
Setting up (remotefs) network interfaces:
Setting up service (remotefs) network . . . . . done
Master Resource Control: runlevel 3 has been reached
Skipped services in runlevel 3: nfs irq_balancer

Welcome to SUSE Linux Enterprise Server 11 SP1 (i586) - Kernel 2.6.32.36-0.5-default (tty1).

linux-ex1j login: root
Password:
linux-ex1j:~ # _

```

Exclude paths containing: (leave empty to exclude nothing)

Include paths containing: (leave empty to include everything)

Include change types: Add Modify Chmod Chown Remove

[Refresh Changes](#)

Note: You may need to run **sync** in your testdrive for filesystem changes to appear here.

Changed files: 38, ordered by: time

Type	Path	Last changed	Size	Actions
<input type="checkbox"/>	add /srv/www/htdocs/.index.html.swp	33 seconds ago	12 KB	Download
<input checked="" type="checkbox"/>	add /srv/www/htdocs/index.html	43 seconds ago	41 Bytes	View , Download
<input type="checkbox"/>	add /root/.viminfo	43 seconds ago	693 Bytes	View , Download
<input type="checkbox"/>	modify /etc/apache2/sysconfig.d/global.conf	3 minutes ago	255 Bytes	View , Diff , Download
<input type="checkbox"/>	modify /etc/apache2/sysconfig.d/loadmodule.conf	3 minutes ago	1.9 KB	View , Diff , Download
<input type="checkbox"/>	add /etc/apache2/sysconfig.d/include.conf	3 minutes ago	150 Bytes	View , Download
<input type="checkbox"/>	add /etc/ssh/ssh_host_dsa_key.pub	4 minutes ago	605 Bytes	Download
<input type="checkbox"/>	add /etc/ssh/ssh_host_rsa_key.pub	4 minutes ago	225 Bytes	View , Download
<input type="checkbox"/>	add /etc/ssh/ssh_host_dsa_key	4 minutes ago	668 Bytes	View , Download
<input type="checkbox"/>	add /etc/ssh/ssh_host_rsa_key	4 minutes ago	887 Bytes	View , Download
<input type="checkbox"/>	add /etc/defkeymap.name	4 minutes ago	45 Bytes	View , Download
<input type="checkbox"/>	add /etc/ssh/ssh_host_key.pub	4 minutes ago	334 Bytes	View , Download
<input type="checkbox"/>	add /etc/defkeymap.map	4 minutes ago	28.4 KB	View , Download
<input type="checkbox"/>	add /etc/ssh/ssh_host_key	4 minutes ago	530 Bytes	Download
<input type="checkbox"/>	add /etc/resolv.conf	4 minutes ago	815 Bytes	View , Download
<input type="checkbox"/>	modify /etc/sysconfig/clock	4 minutes ago	979 Bytes	View , Diff , Download
<input type="checkbox"/>	modify /etc/sysconfig/network/ifcfg-eth0	4 minutes ago	27 KB	View , Diff , Download
<input type="checkbox"/>	add /etc/X11/xorg.conf	4 minutes ago	2.0 KB	View , Download

<input type="checkbox"/>	add	/etc/defkeymap.map	4 minutes ago	28.4 KB View , Download
<input type="checkbox"/>	add	/etc/ssh/ssh_host_key	4 minutes ago	530 Bytes Download
<input type="checkbox"/>	add	/etc/resolv.conf	4 minutes ago	815 Bytes View , Download
<input type="checkbox"/>	modify	/etc/sysconfig/clock	4 minutes ago	979 Bytes View , Diff , Download
<input type="checkbox"/>	modify	/etc/sysconfig/network/ifcfg-eth0	4 minutes ago	27 KB View , Diff , Download
<input type="checkbox"/>	add	/etc/X11/xorg.conf	4 minutes ago	3.9 KB View , Download
<input type="checkbox"/>	modify	/etc/init.d/kbd	4 minutes ago	11.9 KB View , Diff , Download
<input type="checkbox"/>	add	/etc/yp.conf	4 minutes ago	779 Bytes View , Download
<input type="checkbox"/>	modify	/etc/mtab	4 minutes ago	236 Bytes View , Diff , Download
<input type="checkbox"/>	modify	/boot/grub/stage2	5 minutes ago	99.6 KB Download
<input type="checkbox"/>	add	/boot/initrd-2.6.32.36-0.5-default	5 minutes ago	3.2 MB Download
<input type="checkbox"/>	add	/etc/ImagePackages	5 minutes ago	13 KB View , Download
<input type="checkbox"/>	add	/etc/udev/rules.d/70-persistent-cd.rules	5 minutes ago	388 Bytes View , Download
<input type="checkbox"/>	add	/etc/grub.conf	5 minutes ago	57 Bytes View , Download
<input type="checkbox"/>	modify	/etc/sysconfig/kernel	5 minutes ago	2.5 KB View , Diff , Download
<input type="checkbox"/>	add	/boot/grub/device.map	5 minutes ago	15 Bytes View , Download
<input type="checkbox"/>	modify	/etc/sysconfig/bootloader	5 minutes ago	349 Bytes View , Diff , Download
<input type="checkbox"/>	modify	/etc/fstab	5 minutes ago	338 Bytes View , Diff , Download
<input type="checkbox"/>	modify	/boot/grub/menu.lst	5 minutes ago	653 Bytes View , Diff , Download
<input type="checkbox"/>	delete	/boot/initrd.vmx		
<input type="checkbox"/>	delete	/boot/grub/mbrid		
<input type="checkbox"/>	delete	/boot/linux.vmx		
<input type="checkbox"/>	modify	/boot/message	11 minutes ago	395 KB Download
<input type="checkbox"/>	delete	./profile		
<input type="checkbox"/>	delete	./kconfig		
<input type="checkbox"/>	delete	/etc/init.d/suse_studio_firstboot		

Select all / Select none on this page

You may also use shift-click to select multiple items.

Bundle selected files as archive with name .tar.bz2

Add selected files to appliance

Networking in testdrive

If your appliance is configured to use DHCP, it will be connected to the network in a limited way so that you can SSH in and perform some basic tests.

You will **not** be able to make outgoing connections. Your IP address, 195.135.221.2, is the only host that can connect to your testdrive. Ports 22, 80, 443, and 54984 (WebYaST) are mapped to ports 16022, 16080, 16443, and 16984 on host node48.susestudio.com.

Enable networking

SSH into your testdrive

To SSH into your testdrive, you can use this command:

```
ssh -o "UserKnownHostsFile /dev/null" -p 16022 root@node48.susestudio.com
```

You can also SCP files into and out of your testdrive (take note: SCP uses the -P option to set the port, with a capital P, whereas SSH uses a lowercase p).

```
scp -o "UserKnownHostsFile /dev/null" -P 16022 filename root@node48.susestudio.com:
```

Try out WebYaST

If you have WebYast installed and enabled, you can access it on port 54984 of your testdrive using this link:

<https://node48.susestudio.com:16984/>

Try out your web app


To access a web server on port 80 of your testdrive, use this link:

<http://node48.susestudio.com:16080/>

To access a secure web server on port 443 of your testdrive, use this link:


<https://node48.susestudio.com:16443/>

SUSE Stüdyo – Cihaz Paylaşımı

 Send feedback

Demo Web Server



 **VMware Image**
Based on: SLES 11 SP1
Platform: 32-bit x86
Used space: **390 MB**
Virtual disk: **16 GB**
Download size: **140 MB**
0 patterns selected
50 packages selected
177 total packages

Appliance summary

Description:

Website:
Tags:


Basic formatting: *bold*, _italic_,
+underline+, @code@. [More formatting options...](#)

There are unsaved changes. [Save summary](#)

 [Certify this appliance](#)

Share with everyone

Available: [Add](#)

 Send feedback

Demo Web Server



VMware Image

Based on: SLES 11 SP1
Platform: 32-bit x86
Used space: **390 MB**
Virtual disk: **16 GB**
Download size: **140 MB**

0 patterns selected
50 packages selected
177 total packages

Appliance summary

Description:

Website:

Tags:

Basic formatting: *bold*, _italic_,
+underline+, @code@. [More formatting options...](#)

[Save summary](#)

 [Certify this appliance](#)

Share with everyone

Available: [Add](#)

Version 0.0.2

Release notes:

Basic formatting: *bold*, _italic_, +underline+,
@code@. [More formatting options...](#)

[Cancel](#)

 This version is not yet published

[Publish](#)

 Take notes

SUSE Stüdyo – Galeri



Illumination Software Creation Station

"by Bryan Lunduke"

Popular

Staff picks

Newest

Most Cloned

Highest Rated



Demo Web Server

by Cornelius Schumacher
7 minutes ago



SevestraOS

SevestraSoft certified
2 hours ago



Snowlight

kitty03105.com certified
5 hours ago



The NOC Project

by Mike new
6 hours ago



BLOS-beta

by bbowerman
8 hours ago



suse Kactus

Kactus certified
10 hours ago

acrosoftcenter(R) OS beta ...

by Linux787
10 hours ago



lorenzositubi's JeOS

by lorenzosuitubi
12 hours ago



XeOn Server

by Adil
17 hours ago



XeOn x86

Xe0n certified
19 hours ago



Caranille 2011

by Caranille
21 hours ago



aOSx86

aOS certified
21 hours ago



KDE4Horde4Demo setup

by Ralf Lang (B1 Systems GmbH)
one day ago



DragonOS 4

by CrazyDragon Technologies
one day ago



GNOME 3 small edition

by daan
one day ago

[View all newest...](#)



Create new appliance...



Demo Web Server

Published by [Cornelius Schumacher](#) Based on [SLES 11 SP1 32-bit x86](#)

This is a demo web server serving static content.

Download



Release notes

First version.

Technical Details

Appliance configuration

Accounts

User	Password
root	linux
tux	linux

Security summary

- ✓ Only official software sources are included.
- ✓ No custom software packages were uploaded.
- Overlay files were uploaded, but none are executable.
- ✓ No custom scripts were enabled.

[Send feedback](#)

Version 0.0.2

Updated 6 minutes ago

Previously known as Web Server

0 comments

- [Edit appliance...](#)
- [Certify appliance...](#)
- [Clone appliance...](#)

Testdrive

Run in Testdrive



[View all appliances published by Cornelius Schumacher](#)

Keyboard: **english-us**
Time zone: **UTC**
Language: **en_US.UTF-8**
Network: **dhcp**
Firewall: **disabled**

Some packages may not be supported by Novell.
Our support engineers may ask you to direct
support requests to the vendor of those packages.
[View supportability report...](#)

Software

0 patterns, 177 packages
[View package list...](#)

Comments

Add a comment

Post comment

Basic formatting:
bold, *_italic_*,
+underline+, @code@.
[More formatting options...](#)

Everyone's comments

No comments yet

SUSE Stüdyo – Amazon EC2 Bağlantısı

Send feedback

Demo Web Server



Amazon EC2
Based on: SLES 11 SP1
Platform: 32-bit x86
Used space: **350 MB**
Download size: **130 MB**
0 patterns selected
50 packages selected
184 total packages

Version **0.0.4**

Default format: **Amazon EC2 image**

Build

- Additional formats:
- USB stick / hard disk image
 - Live CD/DVD (.iso)
 - VMware / VirtualBox / KVM (.vmdk)
 - OVF virtual machine (.ovf)
 - Xen guest
 - Preload ISO (.iso)

[Read more about formats...](#)

[Changelog...](#) [Configuration...](#)

Version 0.0.3

Amazon EC2 88 MB [Upload to EC2](#) [Download](#) [View files](#) [x](#)

[View supportability report...](#) [Changelog...](#) [Configuration...](#) [Clone](#)

Version 0.0.2

VMware Image 121 MB [Testdrive](#) [Download](#) [View files](#)

[View supportability report...](#) [Changelog...](#) [Configuration...](#) [Clone](#) Locked (Published)

Version 0.0.1

VMware Image 121 MB [Testdrive](#) [Download](#) [View files](#) [x](#)

Take notes

Amazon Web Services (AWS) credentials

Your credentials allow you to get access to AWS and upload your appliance to EC2.

You can view them at any time from your [AWS account](#).

Access Key ID:

Secret Access Key:

Default region:

Save changes



If you are no longer using this service, you can [delete your credentials](#) from our database at any time.

Return to [previous](#) page.

Your Amazon EC2 appliances

To create new [Amazon EC2](#) appliances, choose openSUSE 11.4, SUSE Linux Enterprise Server (SLES) 11 SP1 or SLES 10 SP3 on the [new appliance page](#). Select "Disk image" as your default format (for testing), and build "Amazon EC2" as a secondary type.

Your appliance will be uploaded to Amazon Elastic Block Storage (EBS). Afterwards you can create and control EC2 instances on Amazon servers from this page once you have entered your [Amazon credentials](#).

Please note that this service provided by Amazon is not for free. Uploading and launching your appliance will incur costs. Please consult Amazon for [pricing](#) details.

Amazon also offers a detailed description of the available [instance types](#).

+ [Add instance...](#)

Demo Web Server (32-bit x86) ▼

Upload & Launch

0.0.3 ▼

Micro ▼

EU West (Ireland) ▼

Upload only

Your Amazon EC2 appliances

To create new [Amazon EC2](#) appliances, choose openSUSE 11.4, SUSE Linux Enterprise Server (SLES) 11 SP1 or SLES 10 SP3 on the [new appliance page](#). Select "Disk image" as your default format (for testing), and build "Amazon EC2" as a secondary type.

Your appliance will be uploaded to Amazon Elastic Block Storage (EBS). Afterwards you can create and control EC2 instances on Amazon servers from this page once you have entered your [Amazon credentials](#).

Please note that this service provided by Amazon is not for free. Uploading and launching your appliance will incur costs. Please consult Amazon for [pricing](#) details.

Amazon also offers a detailed description of the available [instance types](#).

[+ Add instance...](#)

Demo Web Server

(32-bit x86)

[edit appliance](#)

0.0.3	EU West (Ireland)	Show connection information ▼		Running	<input type="button" value="Terminate"/>	✕
t1.micro	ami-47330533 i-f15fd387	ec2-79-125-73-116.eu-west-1.compute.amazonaws.com				

SUSE Stüdyo – Web Yast ile Yönetim

WebYast

Web based System Management Interface

The screenshot displays the 'My Appliance' control panel. At the top, the 'webvast' logo is on the left, and the title 'My Appliance' is centered. On the right, it shows 'Language: English (US)', 'Connected host: localhost', and 'User: root'. Below the title bar are two main sections: 'Status' and 'System actions'. The 'Status' section contains two messages: a green checkmark indicating 'Your system is up to date.' and a red warning triangle indicating 'Registration is missing'. The 'System actions' section features two buttons: 'Reboot' and 'Shutdown'. Below these is the 'Configuration' section, which contains a grid of 15 icons for various system settings: Updates, Status, System Services, Users, Software Repositories, Registration, Network, Language, Groups, Mail Settings, Time, Firewall, and Administrator Settings. At the bottom left, the copyright notice '© 2009, 2010 Novell, Inc.' is visible.

Language: [English \(US\)](#) Connected host: [localhost](#) User: [root](#)
[Control panel](#) [Logout](#)

Status

Your system is up to date.

Registration is missing

System actions

[Reboot](#)

[Shutdown](#)

Configuration

- [Updates](#)
- [Status](#)
- [System Services](#)
- [Users](#)
- [Software Repositories](#)
- [Registration](#)
- [Network](#)
- [Language](#)
- [Groups](#)
- [Mail Settings](#)
- [Time](#)
- [Firewall](#)
- [Administrator Settings](#)

© 2009, 2010 Novell, Inc.

Soru ve Cevap

Katıldığınız için teşekkür ederiz

Yöre Elektronik Yayıncılık A.Ş.

